MICRO MATIC

AG & Other Closed Systems

2014 Price Deck

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

MAV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications)

	Part Number	Description	Details	USD
MAV COUPLERS				
			Fill Couplers	
	724-044	**MAV FILL COUPLER** 3F Key, EPDM Seals	For use with 3F Key MAV Container Valve for closed liquid filling. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" NPT Female Air Outlet	307.83
	724-026	**MAV FILL COUPLER** 3F Key, Viton Seals	For use with 3F Key MAV Container Valve for closed liquid filling. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" NPT Female Air Outlet	314.66
	724-045	**MAV FILL COUPLER** 4F Key, EPDM Seals	For use with 4F Key MAV Container Valve for closed liquid filling. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" NPT Female Air Outlet	307.83
	724-095	**MAV FILL COUPLER** 4F Key, Viton Seals	For use with 4F Key MAV Container Valve for closed liquid filling. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" NPT Female Air Outlet	314.66
	CALL FOR DETAILS	**MAV FILL COUPLER** 4F& 3F Key, Available In Other Elastomers. Call For Details.	For use with 4F & 3F Key MAV Container Valve for closed liquid filling. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" NPT Female Air Outlet	CALL FOR PRICING
	748-038	**MAV DEGASING COUPLER** EPDM Seals	Tool used to release container head pressure prior to MAV Container Valve removal. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1/4" NPT Female Air Outlet	525.21
	748-041	**MAV DEGASING COUPLER** Viton Seals	Tool used to release container head pressure prior to MAV Container Valve removal. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1/4" NPT Female Air Outlet	535.71
	CALL FOR DETAILS	**MAV DEGASING COUPLER** Available In Other Elastomers. Call For Details.	Tool used to release container head pressure prior to MAV Container Valve removal. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1/4" NPT Female Air Outlet	CALL FOR PRICING
			Dispense Couplers	
	724-031	**MAV DISPENSE COUPLER** 3F Key, EPDM Seals	For use with 3F Key MAV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	271.83
	724-027	**MAV DISPENSE COUPLER** 3F Key, Viton Seals	For use with 3F Key MAV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	278.63
	724-085	**MAV DISPENSE COUPLER** 3F Key, #12 PRV, Viton Seals	For use with 3F Key MAV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	300.07
	724-067	**MAV DISPENSE COUPLER** 3F Key, #30 PRV, EPDM Seals	For use with 3F Key MAV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	293.74
	724-065	**MAV DISPENSE COUPLER** 3F Key, #30 PRV, Viton Seals	For use with 3F Key MAV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	300.07
	724-029	**MAV DISPENSE COUPLER** 4F Key, Viton Seals	For use with 4F Key MAV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	278.63
	724-068	**MAV DISPENSE COUPLER** 4F Key, #30 PRV, Viton Seals	For use with 4F Key MAV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	300.07
	CALL FOR DETAILS	**MAV DISPENSE COUPLER** Available In Other Elastomers. Call For Details.	For use with 4 Key RSV Container Valve for closed liquid dispensing. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" NPT Female Air Inlet	CALL FOR PRICING

2364 Simon Court
Brooksville, FL 34604

Phone: 1 (866) 755-4477
Telefax: 1 (352) 754-9645

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

MAV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications)

	Part Number	Description	Details	USD
MAV DUST COVER / TAMPER EVIDENT DEVICES				
	102-310	**MAV DUST COVER** Black	Protects MAV Container Valve from debris when coupler is disconnected. - PP Construction	8.47
	102-423	**MAV DUST COVER SECURITY PIN** Red	Secures MAV Dust Cover to MAV Container Valve and protects MAV Container Valve from unauthorized access. - GPPS Construction	0.54
	102-960	**MAV TAMPER EVIDENT RING** Black	Protects MAV Container Valve from unauthorized removal and provide for tamper evidence. - POM Construction	0.86
MAV CONTAINER VALVES - Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.				
	723-022/XXXX	**MAV CONTAINER VALVE** 3F Key, EPDM Seals	For use with 3F Key MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	117.82
	723-018/XXXX	**MAV CONTAINER VALVE** 3F Key, Viton Seals	For use with 3F Key MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	125.43
	723-033/XXXX	**MAV CONTAINER VALVE** 3F Key, EPDM Seals, XL	For valve lengths greater than 750mm and for use with 3F Key MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	182.15
	723-032/XXXX	**MAV CONTAINER VALVE** 3F Key, Viton Seals, XL	For valve lengths greater than 750mm and for use with 3F Key MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	186.06
	723-027/XXXX	**MAV CONTAINER VALVE** 4F Key, EPDM Seals	For use with 4F Key MAV Container Valve for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	117.82
	723-014/XXXX	**MAV CONTAINER VALVE** 4F Key, Viton Seals	For use with 4F Key MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	125.43
	723-035/XXXX	**MAV CONTAINER VALVE** 4F Key, EPDM Seals, XL	For valve lengths greater than 750mm and for use with 4F Key MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	182.15
	723-034/XXXX	**MAV CONTAINER VALVE** 4F Key, Viton Seals, XL	For valve lengths greater than 750mm and for use with 4F Key MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	186.06
	CALL FOR DETAILS	**MAV CONTAINER VALVE** Available In Other Elastomers. Call For Details.	For use with MAV Couplers for closed liquid transfer. - Body: AISI 304 Cast Stainless Steel Construction - Tube: AISI 304 Stainless Steel Construction	CALL FOR PRICING
MAV CONTAINER NECKS				
	730-382	**MAV CONTAINER NECK** AISI 304 Stainless Steel	Welded to container opening and used to secure MAV Container Valve to container. - AISI 304 Stainless Steel Construction	26.80
	730-404	**MAV CONTAINER NECK** AISI 316L Stainless Steel	Welded to container opening and used to secure MAV Container Valve to container. - AISI 316 Stainless Steel Construction	32.05
MAV INSTALLATION / REMOVAL TOOLS				
	740-003	**MAV BENCH SERVICE TOOL**	Used to service (Assemble & Disassemble) MAV Container Valve.	1,490.17
	740-076	**MAV VALVE MOUNTING TOOL**	Used to install & lock MAV Container Valve to container (MAV Container Neck).	846.93
	740-078	**MAV VALVE RELEASING TOOL**	Used to unlock MAV Container Valve from container (MAV Container Neck).	1,147.11

MICRO MATIC

All Prices subject to change without notice.

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

MAV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications)

	Part Number	Description	Details	USD
	740-077	**MAV VALVE LIFTING TOOL**	Used to remove MAV Container Valve from container (MAV Container Neck).	353.78
	741-043	**MAV INSTALL VERIFICATION TOOL**	Used to verify correct installation of MAV Container Valve to container (MAV Container Neck).	300.07
	001-619	**MAV GO GAUGE TOOL**	Used to verify integrity of MAV Container Neck.	CALL FOR PRICING
MAV CLEANING & SERVICING				
	2MAV1-008	**MAV RINSING SOCKET** EPDM Seal	A maintenance device used to flush MAV Couplers and Dispense System (hoses, pumps and meters) to maximize service life. - AISI 304 Stainless Steel Construction	128.11
	CALL FOR DETAILS	**MAV RINSING SOCKET** Available In Other Elastomers. all For Details.	A maintenance device used to flush MAV Couplers and Dispense System (hoses, pumps and meters) to maximize service life. - AISI 304 Stainless Steel Construction	CALL FOR PRICING
	748-042	**MAV PRESSURE TEST COUPLER** Viton Seals	A maintenance device used to test the container and MAV Container Valve to ensure that they are leak-proof. - Body: AISI 304 Cast Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 0-15 PSI Pressure Gauge - #100-029 1/4" NPT Plated Steel Male Nipple Quick Disconnect Air Inlet (Industrial Interchange) with Manual Shut-off Valve	640.88
MAV ACCESSORIES				
	2MAV1-003	**MAV MOUNTING BRACKET** Stainess Steel	A device used to mount MAV Coupler when not in use (connected to MAV Container Valve). - AISI 304 Stainless Steel Construction	45.57
	729-418	**ADAPTER PLATE ASSEMBLY**	Adapter plate ensures proper fit with G.E.M. cap. - MAV Container Valve 3F Key, Viton - AISI 304 Stainless Steel Construction - Includes Dust Cover (#102-310) - Available with other keys and elastomers. Please call for details	406.31
MAV MANUALS				
	00410-I1011 0508	**MAV COMPREHENSIVE INSTRUCTION MANUAL**	Complete user manual and instructions for the MAV Closed System.	0.00
MAV REPLACEMENT PARTS				
Valve Releasing Tool				
	729-503	**MAV DOWEL PIN REPLACEMENT KIT**	For use with MAV Valve Releasing Tool #740-078 to replace dowel pins if they become damaged.	21.34
Couplers - Available in other elastomers. Call for details.				
	100-615	**NRV SPRING** AISI 302/304 Stainless Steel Construction	For use with MAV Couplers.	5.89
	724-320	**NRV PROBE SPRING RETAINER** AISI 304 Stainless Steel Construction	For use with MAV Couplers.	12.75
	102-525	**NRV PROBE SEAL** EPDM	For use with MAV Couplers.	4.82
	102-875	**NRV PROBE SEAL** Viton	For use with MAV Couplers.	9.64
	102-420	**NRV PROBE SEAL** FFKM	For use with MAV Couplers.	CALL FOR PRICING
	102-746	**PROBE O-RING SEAL** EPDM	For use with MAV Couplers.	2.68

2364 Simon Court
Brooksville, FL 34604

Phone: 1 (866) 755-4477
Telefax: 1 (352) 754-9645

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

MAV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications)

	Part Number	Description	Details	USD
	102-872	**PROBE O-RING SEAL** Viton	For use with MAV Couplers.	4.61
	102-419	**PROBE O-RING SEAL** FFKM	For use with MAV Couplers.	CALL FOR PRICING
	102-848	**WASHER THREAD ADAPTER** Nylon	For use with MAV Couplers.	1.07
	724-106	**THREAD ADAPTER ASSEMBLY**	For use with MAV Couplers.	10.61
	724-112	**SIDE ENTRY FILTER**	For use with MAV Couplers.	1.10
	102-553	**MAIN GASKET SEAL** EPDM	For use with MAV Couplers.	17.04
	102-874	**MAIN GASKET SEAL** Viton	For use with MAV Couplers.	26.80
	102-421	**MAIN GASKET SEAL** FFKM	For use with MAV Couplers.	CALL FOR PRICING
	724-131	**PRV ASSEMBLY** EPDM, #30	For use with MAV Couplers.	26.80
	724-133	**PRV ASSEMBLY** Viton, #30	For use with MAV Couplers.	28.94
	724-132	**PRV ASSEMBLY** FFKM, #30	For use with MAV Couplers.	CALL FOR PRICING
	724-102	**HANDLE HINGE PIN**	For use with MAV Couplers.	5.89
	748-100	**PULL HANDLE ASSEMBLY** Black	For use with MAV Fill Couplers.	58.96
	748-141	**PULL HANDLE ASSEMBLY** Red	For use with MAV Fill Couplers.	58.96
		Container Valves - Available in other elastomers. Call for details.		
	100-621	**RETAINING RING FORMED** AISI 302 Stainless Steel Construction	For use with MAV Container Valves.	9.64
	102-721	**O-RING** EPDM	For use with MAV Container Valves.	2.68
	102-870	**O-RING** Viton	For use with MAV Container Valves.	4.18
	102-415	**O-RING** FFKM	For use with MAV Container Valves.	CALL FOR PRICING
	102-549	**PROFILE SEAL** EPDM	For use with MAV Container Valves.	10.61
	102-660	**PROFILE SEAL** Viton	For use with MAV Container Valves.	16.09
	102-409	**PROFILE SEAL** FFKM	For use with MAV Container Valves.	CALL FOR PRICING
	704-302	**SPRING RETAINER** AISI 304 Stainless Steel Construction	For use with MAV Container Valves.	0.75
	100-624	**SPRING** AISI 302/304 Stainless Steel Construction	For use with MAV Container Valves.	8.47
	723-106	**DOWN TUBE (SPECIFY LENGTH)** AISI 304 Stainless Steel Construction	For use with MAV Container Valves.	12.37
	102-960	**TAMPER EVIDENT RING** POM Construction	For use with MAV Container Valves.	0.86

MICRO MATIC

All Prices subject to change without notice.

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RSV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
RSV COUPLERS				
			Fill Couplers	
	744-022	**RSV / RPV FILL COUPLER** Vapor Recovery Outlet, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	267.91
	744-023	**RSV / RPV FILL COUPLER** Vapor Recovery Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	271.06
	744-037	**RSV / RPV FILL COUPLER** Vapor Recovery Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 316L Stainless Steel - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	381.98
	CALL FOR DETAILS	**RSV / RPV DISPENSE COUPLER** Vapor Recovery Outlet, Available In Other Elastomers. Call For Details.	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: Available in AISI 304 or 316L Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	CALL FOR PRICING
			Dispense Couplers	
	744-002	**RSV / RPV DISPENSE COUPLER** Self-Venting, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet	149.56
	744-003	**RSV / RPV DISPENSE COUPLER** Self-Venting, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet	157.59
	NEW 5074	**RSV / RPV DISPENSE COUPLER** Self-Venting, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet	149.56
	NEW 5073	**RSV / RPV DISPENSE COUPLER** Self-Venting, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet	157.59
	744-007	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, EPDM	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	191.90
	744-008	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	204.77
	NEW 6588	**RSV / RPV DISPENSE COUPLER** Threaded Liquid Outlet, EPDM Seals	For use with 3 Key RSV / RPV Container Valves for closed liquid dispensing. - AISI 304 Stainless Steel Construction - 3/4" (19.05mm) NPT Female Liquid Outlet	167.24
	NEW 6589	**RSV / RPV DISPENSE COUPLER** Threaded Liquid Outlet, Viton Seals	For use with 3 Key RSV / RPV Container Valves for closed liquid dispensing. - AISI 304 Stainless Steel Construction - 3/4" (19.05mm) NPT Female Liquid Outlet	171.42
	744-082	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	286.82
	744-080	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 316L Stainless Steel - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	397.74
	CALL FOR DETAILS	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Available In Other Elastomers. Call For Details.	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: AISI 316L Stainless Steel Construction - Probe: Available in AISI 304 or 316L Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	CALL FOR PRICING
	NEW 6534	**COMPOSITE DISPENSE COUPLER** Barbed Liquid Outlet, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" Barbed 90 Deg Liquid Outlet	89.90
	NEW 6535	**COMPOSITE DISPENSE COUPLER** Barbed Liquid Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" Barbed 90 Deg Liquid Outlet	93.05
	NEW 6538	**COMPOSITE DISPENSE COUPLER** Threaded Liquid Outlet, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" BSPP Female 90 Deg Liquid Outlet	89.90
	NEW 6539	**COMPOSITE DISPENSE COUPLER** Threaded Liquid Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" BSPP Female 90 Deg Liquid Outlet	93.05

2364 Simon Court
Brooksville, FL 34604

Phone: 1 (866) 755-4477
Telefax: 1 (352) 754-9645

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RSV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
RSV DUST COVER				
	102-014	**RSV / RPV DUST COVER** Yellow	Protects RSV & RPV Container Valve from debris when coupler is disconnected. - HDPE Construction	0.53
RSV CONTAINER VALVES				
	743-007	**RSV CONTAINER VALVE** 2" BSP Thread, EPDM Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	49.21
	743-008	**RSV CONTAINER VALVE** 2" BSP Thread, Viton Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	53.81
	743-032	**RSV CONTAINER VALVE (316)** 2" BSP Thread, Viton Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 316 Stainless Steel Construction	74.94
	4306/XXXX	**RSV CONTAINER VALVE** 2.5" x 5 Buttress Thread, EPDM Seals With Welded Stainless Steel Down Tube. Cut To Length By Micro Matic. Customer To Provide Measurement From Container Sealing Surface To Sump.	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	84.85
	5747/XXXX	**RSV CONTAINER VALVE** 2" BSP Thread, EPDM Seals With Welded Stainless Steel Down Tube. Cut To Length By Micro Matic. Customer To Provide Measurement From Container Sealing Surface To Sump.	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	84.85
	743-039/XXXX	**RSV CONTAINER VALVE** 2" BSP Thread, Viton Seals With Welded Stainless Steel Down Tube. Cut To Length By Micro Matic. Customer To Provide Measurement From Container Sealing Surface To Sump.	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	85.66
	743-046	**RSV CONTAINER VALVE** 56 x 4mm Thread, EPDM Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	49.21
	743-047	**RSV CONTAINER VALVE** 56 x 4mm Thread, Viton Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	53.81
	743-086	**RSV CONTAINER VALVE** 2.5" x 5 Buttress Thread, EPDM Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	49.21
	743-087	**RSV CONTAINER VALVE** 2.5" x 5 Buttress Thread, Viton Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	53.81
	743-091	**RSV CONTAINER VALVE (316)** 2.5" x 5 Buttress Thread, Viton Seals	For use with mating 3 Key RSV Couplers for closed liquid transfer. - AISI 316 Stainless Steel Construction	74.94
	743-126	**RSV CONTAINER VALVE** 70 x 6mm Thread, EPDM Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	70.68
	743-125	**RSV CONTAINER VALVE** 70 x 6mm Thread, Viton Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	75.54
	4859	**RSV CONTAINER VALVE** 2" NPT Thread, EPDM Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	49.21
	4858	**RSV CONTAINER VALVE** 2" NPT Thread, Viton Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	53.81
	CALL FOR DETAILS	**RSV CONTAINER VALVE** Available in Other Elastomers. Call For Details.	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 or 316 Stainless Steel Construction	CALL FOR PRICING
	743-119	**RSV CONTAINER VALVE** 2.5" x 5 Buttress Thread, Viton Seals Blind Plug	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	26.80

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RSV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
RSV DOWN TUBES				
	743-203/810	**RSV / RPV DOWN TUBE** For 55 Gal (208L) Drum	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 31.89" (810mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/975	**RSV / RPV DOWN TUBE** For 275 Gal (1000L) IBC Top Side Bung Installation	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 38.38" (975mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-236/1065	**RSV / RPV DOWN TUBE** For 275 Gal (1000L) IBC Center Cap Installation	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 41.93" (1065mm) L, 1" (25.4mm) DIA - Flex bellows with straight cut base	6.32
	743-203/960	**RSV / RPV DOWN TUBE** For 275 Gal (1000L) IBC Center Cap Installation Straight Tube	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - HDPE & AISI 301 Stainless Steel Circlip Construction - 37.79" (960mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1155	**RSV / RPV DOWN TUBE** For 330 Gal (1250L) IBC Top Side Bung Installation	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 45.47" (1155mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-236/1245	**RSV / RPV DOWN TUBE** For 330 Gal (1250L) IBC Center Cap Installation	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 49.01" (1245mm) L, 1" (25.4mm) DIA - Flex bellows with straight cut base	6.32
	743-203/1135	**RSV / RPV DOWN TUBE** For 330 Gal (1250L) IBC Center Cap Installation Straight Tube	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - HDPE & AISI 301 Stainless Steel Circlip Construction - 44.69" (1135mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1000	**RSV / RPV DOWN TUBE - SPECIAL** 39.37" (1000mm) L Cut to length by customer	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1500	**RSV / RPV DOWN TUBE - SPECIAL** 59.05" (1500mm) L Cut to length by customer	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Up to 59.05" (1500mm) L Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1500+	**RSV / RPV DOWN TUBE - SPECIAL** Over 59.05" (1500mm) L Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RSV Container Valve to create the RSV Container Valve Assembly. . - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	16.70
	743-224/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow base	6.32
	743-236/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Flex bellows with straight cut base	6.32
	743-238/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RSV Container Valve to create the RSV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 316 Stainless Steel Construction - 1" (25.4mm) DIA - Flex bellows with straight cut base	7.74

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RSV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
RSV TAMPER EVIDENT DEVICES				
	102-079	**RSV / RPV TAMPER EVIDENT SHIPPING CAP** 3 Key, Black	Protects RSV & RPV Container Valve through transportation. - Acetal Copolymer Plastic Construction	1.44
	CE-Z11-618	**TAMPER EVIDENT WIRE SEAL** For 2.5" x 5 Buttress RSV & RPV Container Valves & 6" IBC Center Caps	Secures 2.5" x 5 RSV Container Valve and 6" IBC Center Cap to container and protects container from unauthorized access. - Galvanized Steel Construction - 18" (457.2mm) L, 1/16" (1.59mm) DIA	3.97
	PX-3	**TAMPER EVIDENT CRIMP-ON RING** Rieke, 2" Ply Solid Center	Secures standard 2.5" x 5 Buttress Bung Cap to container bung and protects container from unauthorized access. For use with Tamper Evident Crimp-On Ring Install Tool (#G10). - HDPE & Aluminum Construction - Manufacturer: Rieke - 2" (50mm) VISEGRIP	0.71
	729-862	**TAMPER EVIDENT CRIMP-ON RING** For 2" BSP & 56 x 4mm Bung Caps	Secures 2" BSP and 56 x 4mm bung caps to container bung. For use with Tamper Evident Crimp-On Ring Install Tool (#3345). - AISI 304 Stainless Steel Construction	2.68
	729-860	**TAMPER EVIDENT CRIMP-ON RING** For 2" BSP & 56 x 4mm Container Valves and Bung Caps	Secures 2" BSP and 56 x 4mm RSV & RPV Container Valves and bung caps to container bung. For use with Tamper Evident Crimp-On Ring Install Tool (#3345). - 3 Hook Design - AISI 304 Stainless Steel Construction	2.68
RSV INSTALLATION / REMOVAL TOOLS				
	ABS-7020-0150	**TORQUE WRENCH** With 1/2" Drive	Connects to RSV & RPV Container Valve Installation / Removal Tool.	115.57
	741-015	**RSV / RPV CONTAINER VALVE INSTALL/REMOVAL TOOL** 3 Key	Attaches to standard torque wrench with 1/2" drive to install the 3 Key RSV Container Valve Assembly into a container. - AISI 304 Stainless Steel Construction	136.15
	G-10	**TAMPER EVIDENT CRIMP-ON RING INSTALL TOOL**	Used to crimp/secure Tamper Evident Crimp-On Ring (#749-325) over 2" Bung Cap to container bung.	846.93
	3345	**TAMPER EVIDENT CRIMP-ON RING INSTALL TOOL** For 2" BSP & 56 x 4mm Container Valves and Bung Caps	Used to crimp/secure Tamper Evident Crimp-On Ring (#729-862 & #729-860) over RSV & RPV 2" BSP and 56 x 4mm Container Valves and Bung Caps to container bung. - Manufacturer: Tri-Sure	1,995.66
RSV CLEANING & SERVICING				
	2DV3-001	**RSV RINSING SOCKET** 3 Key, EPDM Seals	A maintenance device used to flush 3 Key RSV Couplers and Dispense System (hoses, pumps and meters) to maximize service life. - AISI 304 Stainless Steel Construction	97.56
	NEW 5223	**RSV MOUNTING BRACKET** 3Key, AISI 304 Stainless Steel	For use with RSV / RPV Closed Jug Dispense Coupler, Dispense & Fill Couplers. Used as a best practice to protect seals from damage and to secure coupler when not in use.	44.45
	744-096	**RSV / RPV PRESSURE TEST COUPLER** 3 Key, EPDM Seals AISI 316L Stainless Steel	A maintenance device used to test the container and RPV Container Valve to ensure that they are leak-proof. - 3 Key, EDPM Seals, 0-15 PSI Pressure - #100-029 1/4" NPT Plated Steel Male Nipple Quick Disconnect Air Inlet (Industrial Interchange) with Manual Shut-off Valve	460.99
	744-097	**RSV / RPV PRESSURE TEST COUPLER** 3 Key, Viton Seals AISI 316L Stainless Steel	A maintenance device used to test the container and RPV Container Valve to ensure that they are leak-proof. - 3 Key, Viton Seals, 0-15 PSI Pressure Gauge - #100-029 1/4" NPT Plated Steel Male Nipple Quick Disconnect Air Inlet (Industrial Interchange) with Manual Shut-off Valve	470.64

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RSV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
IBC ACCESSORIES				
	301-807	**6" IBC CENTER CAP** Red, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - HDPE Construction - Manufacturer: Schutz	48.25
	749-326	**6" IBC CENTER CAP** Blue, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - HDPE Construction - Manufacturer: Mauser	17.05
	NEW 5792	**6" DUAL BUNG IBC CENTER CAP** Dark Blue, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - Sturdy Glass Reinforced Polypropylene Construction - Accommodates two valves, plugs, etc	17.04
RSV MANUAL				
	00274-I0711	**RSV COMPREHENSIVE INSTRUCTION MANUAL**	Complete user manual and instructions for the RSV Closed System.	0.00
RSV REPLACEMENT PARTS				
		Dispense & Fill Couplers - Available in other elastomers. Call for details.		
	101-753	**RETAINING CLIP** Stainless Steel Construction	For use with RSV / RPV Dispense Couplers.	2.04
	744-319	**GROOVED HANDLE PIN**	For use with RSV / RPV Dispense Couplers.	3.22
	100-031	**DRY BREAK PROBE SPRING**	For use with RSV / RPV Dispense Couplers. - AISI 301 Stainless Steel Construction	2.06
	744-314	**DRY BREAK INSERT**	For use with RSV / RPV Dispense Couplers. - AISI 304 Stainless Steel Construction	5.46
	102-073	**DRY BREAK SEAL** EPDM	For use with RSV / RPV Fill & Dispense Couplers.	3.21
	102-074	**DRY BREAK SEAL** Viton	For use with RSV / RPV Fill & Dispense Couplers.	11.79
	102-076	**DRY BREAK SEAL** Aflas	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	102-077	**DRY BREAK SEAL** FKM HiPer	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	102-061	**BODY O-RING** EPDM	For use with RSV / RPV Dispense Couplers.	3.19
	102-746	**BODY O-RING** EPDM	For use with RSV / RPV Fill Coupler.	3.27
	102-062	**BODY O-RING** Viton	For use with RSV / RPV Dispense Couplers.	6.32
	102-872	**BODY O-RING** Viton	For use with RSV / RPV Fill Coupler.	4.61
	102-064	**BODY O-RING** Aflas	For use with RSV / RPV Dispense Couplers.	CALL FOR PRICING
	102-067	**MAIN GASKET SEAL** EPDM	For use with RSV / RPV Fill & Dispense Couplers.	6.97
	102-068	**MAIN GASKET SEAL** Viton	For use with RSV / RPV Fill & Dispense Couplers.	10.61
	102-070	**MAIN GASKET SEAL** Aflas	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	102-071	**MAIN GASKET SEAL** FKM HiPer	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	744-286	**PULL HANDLE ASSEMBLY** Black	For use with RSV / RPV Fill Couplers.	39.97
	744-282	**PULL HANDLE ASSEMBLY** Red	For use with RSV / RPV Fill Couplers.	39.97
	724-102	**HINGE PIN** For Handle	For use with RSV / RPV Fill Couplers.	5.89

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RSV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
		Container Valves - Available in other elastomers. Call for details.		
	102-101	**BODY SEALING RING** EPDM	For use with 2.5" x 5 Buttress RSV Container Valves.	4.82
	102-102	**BODY SEALING RING** Viton	For use with 2.5" x 5 Buttress RSV Container Valves.	14.89
	102-107	**BODY SEALING RING** EPDM	For use with 2" BSP & 56 x 4mm RSV Container Valves.	3.21
	102-108	**BODY SEALING RING** Viton	For use with 2" BSP & 56 x 4mm RSV Container Valves.	8.47
	102-110	**BODY SEALING RING** FKM HiPer	For use with 2" BSP & 56 x 4mm RSV Container Valves.	CALL FOR PRICING
	102-086	**PROFILE SEAL** EPDM	For use with RSV Container Valves.	12.32
	102-085	**PROFILE SEAL** Viton	For use with RSV Container Valves.	18.23
	102-088	**PROFILE SEAL** Aflas	For use with RSV Container Valves.	CALL FOR PRICING
	102-089	**PROFILE SEAL** FKM HiPer	For use with RSV Container Valves.	CALL FOR PRICING
	743-309	**SPRING RETAINER**	For use with RSV Container Valves. - AISI 304 Stainless Steel Construction	0.77
	100-035	**SPRING**	For use with RSV Container Valves. - AISI 302/304 Stainless Steel Construction	9.54
RSV SERVICE TOOLS				
	741-093	**CONTAINER VALVE SERVICE TOOL**	Used to disassemble & reassemble RSV Container Valves for repair.	Call for Pricing
CLOSED JUG SYSTEM				
	NEW 4858	**RSV CONTAINER VALVE** 2" NPT Thread, Viton Seals	For use with 3 Key RSV Couplers for closed liquid transfer. - AISI 304 Stainless Steel Construction	53.81
	NEW 4580	**RSV Closed Jug Dispense Coupler** Self-Venting, Viton Seals	For use with 3 Key RSV Container Valve for closed jug liquid dispensing. - Body & Probe: AISI 316 Stainless Steel Construction - Other Materials: AISI 304 Stainless Steel Construction - Compatible with 63mm Threaded Jugs/Bottles - Triple Rinse Dry Break Quick Connect Valve - Integrated Pressure Relief Valve (PRV)	615.00
	NEW 5222	**Closed Jug System Kit** - RSV Closed Jug Dispense Coupler - 2" NPT Container Valve - RSV / RPV Dust Cover	A Closed System that allows for chemicals to transfer from 63mm Threaded Jugs into larger containers.	667.50
	NEW 5223	**RSV MOUNTING BRACKET** 3 Key, AISI 304 Stainless Steel	For use with RSV / RPV Closed Jug Dispense Coupler, Dispense & Fill Couplers. Used as a best practice to protect seals from damage and to secure coupler when not in use.	44.79

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RPV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
RSV COUPLERS				
			Fill Couplers	
	744-022	**RSV / RPV FILL COUPLER** Vapor Recovery Outlet, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	267.91
	744-023	**RSV / RPV FILL COUPLER** Vapor Recovery Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	271.06
	744-037	**RSV / RPV FILL COUPLER** Vapor Recovery Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 316L Stainless Steel - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	381.98
	CALL FOR DETAILS	**RSV / RPV DISPENSE COUPLER** Vapor Recovery Outlet, Available In Other Elastomers. Call For Details.	For use with 3 Key RSV & RPV Container Valves for closed liquid filling. - Body Casting: AISI 316L Stainless Steel Construction - Probe: Available in AISI 304 or 316L Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Inlet, 1/4" (6.35mm) NPT Female Vapor Recovery Outlet	CALL FOR PRICING
			Dispense Couplers	
	744-002	**RSV / RPV DISPENSE COUPLER** Self-Venting, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet	149.56
	744-003	**RSV / RPV DISPENSE COUPLER** Self-Venting, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet	157.59
	NEW 5074	**RSV / RPV DISPENSE COUPLER** Self-Venting, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet	149.56
	NEW 5073	**RSV / RPV DISPENSE COUPLER** Self-Venting, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet	157.59
	744-007	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, EPDM	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	191.90
	744-008	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body: AISI 304 Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) BSPP Female Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	204.77
	NEW 6588	**RSV / RPV DISPENSE COUPLER** Threaded Liquid Outlet, EPDM Seals	For use with 3 Key RSV / RPV Container Valves for closed liquid dispensing. - AISI 304 Stainless Steel Construction - 3/4" (19.05mm) NPT Female Liquid Outlet	167.24
	NEW 6589	**RSV / RPV DISPENSE COUPLER** Threaded Liquid Outlet, Viton Seals	For use with 3 Key RSV / RPV Container Valves for closed liquid dispensing. - AISI 304 Stainless Steel Construction - 3/4" (19.05mm) NPT Female Liquid Outlet	171.42
	744-082	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 304 Stainless Steel - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	286.82
	744-080	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: AISI 316L Stainless Steel Construction - Probe: AISI 316L Stainless Steel - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	397.74
	CALL FOR DETAILS	**RSV / RPV DISPENSE COUPLER** Vapor Recovery, Available In Other Elastomers. Call For Details.	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: AISI 316L Stainless Steel Construction - Probe: Available in AISI 304 or 316L Stainless Steel Construction - 1" (25.4mm) NPT Male Liquid Outlet, 1/4" (6.35mm) NPT Female Vapor Recovery Inlet	CALL FOR PRICING
	NEW 6534	**COMPOSITE DISPENSE COUPLER** Barbed Liquid Outlet, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" Barbed 90 Deg Liquid Outlet	89.90
	NEW 6535	**COMPOSITE DISPENSE COUPLER** Barbed Liquid Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" Barbed 90 Deg Liquid Outlet	93.05
	NEW 6538	**COMPOSITE DISPENSE COUPLER** Threaded Liquid Outlet, EPDM Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" BSPP Female 90 Deg Liquid Outlet	89.90
	NEW 6539	**COMPOSITE DISPENSE COUPLER** Threaded Liquid Outlet, Viton Seals	For use with 3 Key RSV & RPV Container Valves for closed liquid dispensing. - Body Casting: Wetted Components – Glass Reinforced Polypropylene, External Components – Glass Reinforced Nylon - 3/4" BSPP Female 90 Deg Liquid Outlet	93.05

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RPV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
RSV / RPV DUST COVER				
	102-014	**RSV / RPV DUST COVER** Yellow	Protects RSV & RPV Container Valve from debris when coupler is disconnected. - HDPE Construction	0.53
RPV CONTAINER VALVES				
	2684	**RPV CONTAINER VALVE** 2.5" x 5 Buttress Thread, EPDM Seals	For use with 3 Key RSV / RPV Couplers for closed liquid transfer. - Glass Filled Nylon Construction	23.90
	2683	**RPV CONTAINER VALVE** 2.5" x 5 Buttress Thread, Viton Seals	For use with 3 Key RSV / RPV Couplers for closed liquid transfer. - Glass Filled Nylon Construction	28.50
	2869	**RPV CONTAINER VALVE** 56 x 4mm Thread, EPDM Seals	For use with 3 Key RSV / RPV Couplers for closed liquid transfer. - Glass Filled Nylon Construction	23.90
	2868	**RPV CONTAINER VALVE** 56 x 4mm Thread, Viton Seals	For use with 3 Key RSV / RPV Couplers for closed liquid transfer. - Glass Filled Nylon Construction	28.50
RPV DOWN TUBES				
	743-203/810	**RSV / RPV DOWN TUBE** For 55 Gal (208L) Drum	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 31.89" (810mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/975	**RSV / RPV DOWN TUBE** For 275 Gal (1000L) IBC Top Side Bung Installation	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 38.38" (975mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-236/1065	**RSV / RPV DOWN TUBE** For 275 Gal (1000L) IBC Center Cap Installation	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 41.93" (1065mm) L, 1" (25.4mm) DIA - Flex bellows with straight cut base	6.32
	743-203/960	**RSV / RPV DOWN TUBE** For 275 Gal (1000L) IBC Center Cap Installation Straight Tube	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - HDPE & AISI 301 Stainless Steel Circlip Construction - 37.79" (960mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1155	**RSV / RPV DOWN TUBE** For 330 Gal (1250L) IBC Top Side Bung Installation	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 45.47" (1155mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-236/1245	**RSV / RPV DOWN TUBE** For 330 Gal (1250L) IBC Center Cap Installation	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 49.01" (1245mm) L, 1" (25.4mm) DIA - Flex bellows with straight cut base	6.32
	743-203/1135	**RSV / RPV DOWN TUBE** For 330 Gal (1250L) IBC Center Cap Installation Straight Tube	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - HDPE & AISI 301 Stainless Steel Circlip Construction - 44.69" (1135mm) L, 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1000	**RSV / RPV DOWN TUBE - SPECIAL** 39.37" (1000mm) L Cut to length by customer	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1500	**RSV / RPV DOWN TUBE - SPECIAL** 59.05" (1500mm) L Cut to length by customer	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32

2364 Simon Court
Brooksville, FL 34604

Phone: 1 (866) 755-4477
Telefax: 1 (352) 754-9645

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RPV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **3 KEY SYSTEM**

	Part Number	Description	Details	USD
	743-203/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Up to 59.05" (1500mm) L Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	6.32
	743-203/1500+	**RSV / RPV DOWN TUBE - SPECIAL** Over 59.05" (1500mm) L Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow foot base	16.70
	743-224/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Straight cut with bellow base	6.32
	743-236/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 301 Stainless Steel Construction - 1" (25.4mm) DIA - Flex bellows with straight cut base	6.32
	743-238/XXXX	**RSV / RPV DOWN TUBE - SPECIAL** Cut to length by Micro Matic. Customer to provide measurement from container sealing surface to sump.	Connects to RPV Container Valve to create the RPV Container Valve Assembly. - Down Tube: HDPE Construction - Circlip: AISI 316 Stainless Steel Construction - 1" (25.4mm) DIA - Flex bellows with straight cut base	7.74
RPV TAMPER EVIDENT DEVICES				
	102-079	**RSV / RPV TAMPER EVIDENT SHIPPING CAP** 3 Key, Black	Protects RSV & RPV Container Valve through transportation. - Acetal Copolymer Plastic Construction	1.44
	CE-Z11-618	**TAMPER EVIDENT WIRE SEAL** For 2.5" x 5 Buttress RSV & RPV Container Valves & 6" IBC Center Caps	Secures 2.5" x 5 RPV Container Valve and 6" IBC Center Cap to container and protects container from unauthorized access. - Galvanized Steel Construction - 18" (457.2mm) L, 1/16" (1.59mm) DIA	3.97
	PX-3	**TAMPER EVIDENT CRIMP-ON RING** Rieke, 2" Ply Solid Center	Secures standard 2.5" x 5 Buttress Bung Cap to container bung and protects container from unauthorized access. For use with Tamper Evident Crimp-On Ring Install Tool (#G10). - HDPE & Aluminum Construction- Manufacturer: Rieke - 2" (50mm) VISEGRIP	0.71
	729-862	**TAMPER EVIDENT CRIMP-ON RING** For 2" BSP & 56 x 4mm Bung Caps	Secures 2" BSP and 56 x 4mm bung caps to container bung. For use with Tamper Evident Crimp-On Ring Install Tool (#3345). - AISI 304 Stainless Steel Construction	2.68
	729-860	**TAMPER EVIDENT CRIMP-ON RING** For 2" BSP & 56 x 4mm Container Valves and Bung Caps	Secures 2" BSP and 56 x 4mm RSV & RPV Container Valves and bung caps to container bung. For use with Tamper Evident Crimp-On Ring Install Tool (#3345). - 3 Hook Design - AISI 304 Stainless Steel Construction	2.68
RPV INSTALLATION / REMOVAL TOOLS				
	ABS-7020-0150	**TORQUE WRENCH** With 1/2" Drive	Connects to RSV & RPV Container Valve Installation / Removal Tool.	115.57
	741-015	**RSV / RPV CONTAINER VALVE INSTALL/REMOVAL TOOL** 3 Key	Attaches to standard torque wrench with 1/2" drive to install the 3 Key RPV Container Valve Assembly into a container. - AISI 304 Stainless Steel Construction	136.15
	G-10	**TAMPER EVIDENT CRIMP-ON RING INSTALL TOOL** For 2" NPS / NPT & 2.5" x 5 Buttress Bung Caps	Used to crimp/secure Tamper Evident Crimp-On Ring (#749-325) over 2" Bung Cap to container bung. - Manufacturer: Rieke	846.93
	3345	**TAMPER EVIDENT CRIMP-ON RING INSTALL TOOL** For 2" BSP & 56 x 4mm Container Valves and Bung Caps	Used to crimp/secure Tamper Evident Crimp-On Ring (#729-862 & #729-860) over RSV & RPV 2" BSP and 56 x 4mm Container Valves and Bung Caps to container bung. - Manufacturer: Tri-Sure	1995.66
RSV / RPV CLEANING & SERVICES				
	2DV3-001	**RSV / RPV RINSING SOCKET** 3 Key, EPDM Seals	A maintenance device used to flush 3 Key RSV / RPV Couplers and Dispense System (hoses, pumps and meters) to maximize service life. - 1/4-18 NPT threaded air inlet	97.56

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

RPV CLOSED SYSTEM

For Filling/Refilling & Dispensing (Returnable/Refillable & On-Site Refilling, Multi-Use Applications) — **4 KEY SYSTEM**

	Part Number	Description	Details	USD
	NEW 5223	**RSV MOUNTING BRACKET** 3Key, AISI 304 Stainless Steel	For use with RSV / RPV Closed Jug Dispense Coupler, Dispense & Fill Couplers. Used as a best practice to protect seals from damage and to secure coupler when not in use.	44.45
	744-096	**RSV / RPV PRESSURE TEST COUPLER** 3 Key, EPDM Seals AISI 316L Stainless Steel	A maintenance device used to test the container and RPV Container Valve to ensure that they are leak-proof. - 3 Key, EDPM Seals, 0-15 PSI Pressure - #100-029 1/4" NPT Plated Steel Male Nipple Quick Disconnect Air Inlet (Industrial Interchange) with Manual Shut-off Valve	460.99
	744-097	**RSV / RPV PRESSURE TEST COUPLER** 3 Key, Viton Seals AISI 316L Stainless Steel	A maintenance device used to test the container and RPV Container Valve to ensure that they are leak-proof. - 3 Key, Viton Seals, 0-15 PSI Pressure Gauge - #100-029 1/4" NPT Plated Steel Male Nipple Quick Disconnect Air Inlet (Industrial Interchange) with Manual Shut-off Valve	470.64
IBC ACCESSORIES				
	301-807	**6" IBC CENTER CAP** Red, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - HDPE Construction - Manufacturer: Schutz	48.25
	749-326	**6" IBC CENTER CAP** Blue, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - HDPE Construction - Manufacturer: Mauser	17.05
	NEW 5792	**6" DUAL BUNG IBC CENTER CAP** Dark Blue, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - Sturdy Glass Reinforced Polypropylene Construction - Accommodates two valves, plugs, etc	17.04
RSV /RPV MANUAL				
	00274-I0711	**RSV COMPREHENSIVE INSTRUCTION MANUAL**	Complete user manual and instructions for the RSV Closed System.	0.00
RSV REPLACEMENT PARTS				
		Dispense & Fill Couplers- Available in other elastomers. Call for details.		
	101-753	**RETAINING CLIP** Stainless Steel Construction	For use with RSV / RPV Dispense Couplers.	2.04
	744-319	**GROOVED HANDLE PIN**	For use with RSV / RPV Dispense Couplers.	3.22
	100-031	**DRY BREAK PROBE SPRING**	For use with RSV / RPV Dispense Couplers. - AISI 301 Stainless Steel Construction	2.06
	744-314	**DRY BREAK INSERT**	For use with RSV / RPV Dispense Couplers. - AISI 304 Stainless Steel Construction	5.46
	102-073	**DRY BREAK SEAL** EPDM	For use with RSV / RPV Fill & Dispense Couplers.	3.21
	102-074	**DRY BREAK SEAL** Viton	For use with RSV / RPV Fill & Dispense Couplers.	11.79
	102-076	**DRY BREAK SEAL** Aflas	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	102-077	**DRY BREAK SEAL** FKM HiPer	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	102-061	**BODY O-RING** EPDM	For use with RSV / RPV Dispense Couplers.	3.19
	102-746	**BODY O-RING** EPDM	For use with RSV / RPV Fill Coupler.	3.27
	102-062	**BODY O-RING** Viton	For use with RSV / RPV Dispense Couplers.	6.32
	102-872	**BODY O-RING** Viton	For use with RSV / RPV Fill Coupler.	4.61
	102-064	**BODY O-RING** Aflas	For use with RSV / RPV Dispense Couplers.	CALL FOR PRICING
	102-067	**MAIN GASKET SEAL** EPDM	For use with RSV / RPV Fill & Dispense Couplers.	6.97
	102-068	**MAIN GASKET SEAL** Viton	For use with RSV / RPV Fill & Dispense Couplers.	10.61
	102-070	**MAIN GASKET SEAL** Aflas	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	102-071	**MAIN GASKET SEAL** FKM HiPer	For use with RSV / RPV Fill & Dispense Couplers.	CALL FOR PRICING
	744-286	**PULL HANDLE ASSEMBLY** Black	For use with RSV / RPV Fill Couplers.	39.97
	744-282	**PULL HANDLE ASSEMBLY** Red	For use with RSV / RPV Fill Couplers.	39.97
	724-102	**HINGE PIN** For Handle	For use with RSV / RPV Fill Couplers.	5.89

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

EPV CLOSED SYSTEM

For Dispensing Only (One Way, Single Use Applications)

	Part Number	Description	Details	USD
EPV COUPLERS				
	756-019	**EPV DISPENSE COUPLER** 1/2" (12.7mm) NPT Male Thread Liquid Outlet, EPDM Seals, 3B Black Key	For use with 3B Black Key EPV Container Valve for closed liquid dispensing. - AISI 316L Stainless Steel Construction - 100-658 DS-HVV FILTER 1/4 RG SS 70 MIC - 70 Micron 303 body /316 mesh Air Inlet	112.56
	756-074	**EPV DISPENSE COUPLER** 1/2" (12.7mm) NPT Male Thread Liquid Outlet, Viton Seals, 4B Burgundy Key	For use with 4B Burgundy Key EPV Container Valve for closed liquid dispensing. - AISI 316L Stainless Steel Construction - 100-658 DS-HVV FILTER 1/4 RG SS 70 MIC - 70 Micron 303 body /316 mesh Air Inlet	122.10
	756-084	**EPV DISPENSE COUPLER** 1/2" (12.7mm) NPT Male Thread Liquid Outlet, Viton Seals, 4C White Key	For use with 4C White Key EPV Container Valve for closed liquid dispensing. - AISI 316L Stainless Steel Construction - 100-658 DS-HVV FILTER 1/4 RG SS 70 MIC - 70 Micron 303 body /316 mesh Air Inlet	122.10
	756-017	**EPV DISPENSE COUPLER** 1/2" (12.7mm) NPT Male Thread Liquid Outlet, EPDM Seals, Black Key	For use with Black Key EPV Container Valve for closed liquid dispensing. - Plastic Construction - 1/4-18 NPT Female threaded air inlet	85.66
	756-072	**EPV DISPENSE COUPLER** 1/2" (12.7mm) NPT Male Thread Liquid Outlet, Viton Seals, Burgundy Key	For use with Burgundy Key EPV Container Valve for closed liquid dispensing. - Plastic Construction - 1/4-18 NPT Female threaded air inlet	95.42
	756-083	**EPV DISPENSE COUPLER** 1/2" (12.7mm) NPT Male Thread Liquid Outlet, Viton Seals, 4C White Key	For use with 4C White Key EPV Container Valve for closed liquid dispensing. - Plastic Construction - 1/4-18 NPT Female threaded air inlet	95.42
EPV DUST COVER				
	WWX-160	**EPV DUST COVER** Blue	Protects EPV Container Valve from debris when coupler is disconnected. - HDPE Construction	1.16
EPV CONTAINER VALVE				
	755-014	**EPV CONTAINER VALVE** 2.5" x 5 Buttress Thread, EPDM Seals, 3B Black Key	For use with 3B Black Key EPV Dispense Coupler for closed liquid dispensing. - HDPE Construction	13.41
	755-069	**EPV CONTAINER VALVE** 2.5" x 5 Buttress Thread, Viton Seals, 4B Burgundy Key	For use with 4B Burgundy Key EPV Dispense Coupler for closed liquid dispensing. - HDPE Construction	25.62
	755-083	**EPV CONTAINER VALVE** 2.5" x 5 Buttress Thread, Viton Seals, 4C White Key	For use with 4C White Key EPV Dispense Coupler for closed liquid dispensing. - HDPE Construction	25.62

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

EPV CLOSED SYSTEM

For Dispensing Only (One Way, Single Use Applications)

	Part Number	Description	Details	USD
EPV DOWN TUBES				
	102-136/805	**EPV DOWN TUBE** For 55 Gal (208L) Drum	Connects to EPV Container Valve to create the EPV Container Valve Assembly. - HDPE Construction - 31.69" (805mm) L, 3/4" (19.05mm) DIA - 30º cut base	1.61
	102-136/975	**EPV DOWN TUBE** For 275 Gal (1000L) IBC Top Side Bung Installation	Connects to EPV Container Valve to create the EPV Container Valve Assembly. - HDPE Construction - 38.38" (975mm) L, 3/4" (19.05mm) DIA - 30º cut base	1.61
	755-641/1065	**EPV DOWN TUBE** For 275 Gal (1000L) IBC Center Cap Installation	Connects to EPV Container Valve to create the EPV Container Valve Assembly. - HDPE Construction - 41.93" (1065mm) L, 3/4" (19.05mm) DIA - Flex Bellows with straight cut base	6.32
	102-136/1150	**EPV DOWN TUBE** For 330 Gal (1250L) IBC Top Side Bung Installation	Connects to EPV Container Valve to create the EPV Container Valve Assembly. - HDPE Construction - 45.47" (1155mm) L, 3/4" (19.05mm) DIA - 30º cut base	1.61
	755-641/1245	**EPV DOWN TUBE** For 330 Gal (1250L) IBC Center Cap Installation	Connects to EPV Container Valve to create the EPV Container Valve Assembly. - HDPE Construction - 49.01" (1245mm) L, 3/4" (19.05mm) DIA - Flex Bellows with straight cut base	6.32
	102-136/1000	**EPV DOWN TUBE - SPECIAL** 39.37" (1000mm) L Cut to length by customer	Connects to EPV Container Valve to create the EPV Container Valve Assembly. - HDPE Construction - 3/4" (19.05mm) DIA - 30º cut base	1.61
	755-300/XXX	**EPV DOWN TUBE - WITH CHECK VALVE**	Connects to EPV Container Valve to create the EPV Container Valve Assembly. - HDPE Construction - 3/4" (19.05mm) DIA	10.61
EPV TAMPER EVIDENT DEVICES				
	749-325	**TAMPER EVIDENT CRIMP-ON RING** Rieke, 2" Ply with hole in the center	Secures EPV Container Valve and/or standard 2" bung cap to container providing tamper evidence. NOTE: Installation Requires Tamper Evident Crimp-On Ring Install Tool (#G10). - HDPE & Aluminum Construction	1.14
	PX-3	**TAMPER EVIDENT CRIMP-ON RING** Rieke, 2" Ply Solid Center	Secures EPV Container Valve and/or standard 2" bung cap to container providing tamper evidence. NOTE: Installation Requires Tamper Evident Crimp-On Ring Install Tool (#G10). - HDPE & Aluminum Construction	0.71
	CE-Z11-618	**TAMPER EVIDENT WIRE SEAL** For 6" IBC Center Caps	Secures 6" IBC Center Cap to container and protects container from unauthorized access. - Galvanized Steel Construction - 18" (457.2mm) L, 1/16" (1.59mm) DIA	3.97

AG / OTHER CLOSED SYSTEMS – LIST PRICE (USD)

Effective May 1, 2014

FOB (ex-works) Brooksville, FL

EPV CLOSED SYSTEM

For Dispensing Only (One Way, Single Use Applications)

	Part Number	Description	Details	USD
EPV INSTALLATION / REMOVAL TOOLS				
	741-913	**EPV DOWN TUBE EXPANSION TOOL**	Used to prime/expand the EPV down tube before installing on to EPV Container Valve. - AISI 304 Stainless Steel Construction	85.33
	ABS-7020-0150	**TORQUE WRENCH** With 1/2" Drive	Connects to EPV Container Valve Installation / Removal Tool.	115.57
	754-005	**EPV CONTAINER VALVE INSTALL/REMOVAL TOOL** 3B Black Key	Attaches to standard torque wrench with 1/2" drive to install the 3B Black Key EPV Container Valve Assembly into container. - Acetal Plastic Construction	12.75
	754-035	**EPV CONTAINER VALVE INSTALL/REMOVAL TOOL** 4B Burgundy Key	Attaches to standard torque wrench with 1/2" drive to install the 4B Burgundy Key EPV Container Valve Assembly into container. - Acetal Plastic Construction	12.75
	754-040	**EPV CONTAINER VALVE INSTALL/REMOVAL TOOL** 4C White Key	Attaches to standard torque wrench with 1/2" drive to install the 4C White Key EPV Container Valve Assembly into container. - Acetal Plastic Construction	12.75
	G-10	**TAMPER EVIDENT CRIMP-ON RING INSTALL TOOL** For 2" NPS / NPT & 2.5" x 5 Buttress Bung Caps	Used to crimp/secure Tamper Evident Crimp-On Ring (#749-325) over EPV Container Valve and/or 2" bung Cap to container bung. - Manufacturer: Rieke	846.93
IBC ACCESSORIES				
	301-807	**6" IBC CENTER CAP** Red, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - HDPE Construction - Manufacturer: Schutz	48.25
	749-326	**6" IBC CENTER CAP** Blue, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - HDPE Construction - Manufacturer: Mauser	17.05
	NEW 5792	**6" DUAL BUNG IBC CENTER CAP** Dark Blue, EPDM Seals	For use with 2.5" x 5 Buttress Thread RSV, RPV & EPV Container Valve IBC installs. - Sturdy Glass Reinforced Polypropylene Construction - Accommodates two valves, plugs, etc	17.04
EPV REPLACEMENT PARTS				
	756-997	**BODY GASKET SEAL** EPDM	For use with EPV Dispense Coupler.	2.92
	756-957	**BODY O-RING** EPDM	For use with EPV Dispense Coupler.	1.73
	756-984	**DRY BREAK SEAL** EPDM	For use with EPV Dispense Coupler.	1.48

MICRO MATIC

H3 DIMENSIONS

RSV & RPV Closed Systems



EPV Closed System



MAV Closed System



MICRO MATIC

Closed, Sealed & Secure...

FOR PURITY, PERFORMANCE & PROTECTION

01357a-I0714 Copyright © 2014 Micro Matic USA, Inc. All Rights Reserved.

Order Toll-Free 1 (866) 755-4477

www.micromatic.com